



Engine Dynamometer

DS4010

Engine Dynamometer



Shown with optional sub base, companion flange, flywheel and flywheel cover.

Specifications

Power: 3500 hp (2,611 kw)

Torque: 11,263 ft. lbs (15,271 Nm)

Speed: 2,800 RPM

Water Use: 255 GPM (16.1 L/s)(No Cooling System)

Shipping Weight: 4,620 lbs. (2,097 kg)


Recommended Accessories:

- Driveshaft
- Closed Loop Cooling Center
- Engine Cart
- Adapter Plate Kit
- Air Starter - Single or Dual Directional
- Shaft Guard
- Base Kit
- Water Recirculating System
- Throttle Control

DS4010 (English)




DS4010 (Metric)



DS4010

Engine Dynamometer

Taylor Dynamometer



POWER: 3500 hp (2,611 kw)
 SPEED: 2,800 RPM
 TORQUE: 11,263 ft. lbs. (15,271 Nm)
 WATER USE: 255 GPM (16.1 L/s) (No Cooling System)
 INERTIA VALUE: 290.8 LB-FT²
 SHIPPING WEIGHT: 4620 lbs. (2,097 kg)

SMS0801V005

3602 West Wheelhouse Road, Milwaukee Wisconsin U.S.A
 www.taylordyno.com 414-755-0040