




DE30 / Engine Dynamometer



DE30 Eddy Current Dynamometer

Specifications

Power: 40 hp (30 kW)

Torque: 70 ft-lb (95 Nm)

Speed: 14,000 rpm

Water Use: 10 gpm (0.6 lps) (No Cooling System)

Shipping Weight: 1,213 lb (550 kg)

Inertia Value: 0.40 ft² · lb (0.0168 m² · kg)


Rotation: Dynamometer can be operated in both directions of rotation

Recommended Accessories


- Driveshaft
- Driveshaft Guard
- Test Stand
- Cooling Column
- Engine Cart
- Charge Air Cooler
- Water Recirculating System




Total Test Success

DE30 (English)



DE30 (Metric)





Specifications

Power: 40 hp (30 kW)

Torque: 70 ft-lb (95 Nm)

Speed: 14,000 rpm

Water Use: 10 gpm (0.6 lps) (No Cooling System)

Shipping Weight: 1,213 lb (550 kg)

Inertia Value: 0.40 ft² · lb (0.0168 m² · kg)

Rotation: Dynamometer can be operated in both directions of rotation

Everything you need to succeed



3602 West Wheelhouse Road, Milwaukee, Wisconsin 53208 U.S.A.
(414) 755-0040 www.taylordyno.com

SMS2026v005