




DE500 / Engine Dynamometer



DE500 Eddy Current Dynamometer

Specifications

Power: 670 hp (500 kW)

Torque: 2,213 ft-lb (3,000 Nm)

Speed: 7,500 rpm

Water Use: 90 gpm (5.7 lps) (No Cooling System)

Shipping Weight: 4,740 lb (2,150 kg)

Inertia Value: 52 ft² · lb (2.196 m² · kg)

Rotation: Dynamometer can be operated in both directions of rotation

Recommended Accessories

- Driveshaft
- Driveshaft Guard
- Adapter Plate Kit
- Base Kit
- Engine Cart
- Cooling Column
- Charge Air Cooler
- Water Recirculating System

Total Test Success

Optional Accessories



DE250 shown with optional sub-base and air starter

Optional Cooling Column



Optional Engine Cart (Engine not Included)




Optional Driveshaft Cover




Optional Charge Air Cooler






DE500 (English)



DE500 (Metric)





Specifications

Power: 670 hp (500 kW)

Torque: 2,213 ft-lb (3,000 Nm)

Speed: 7,500 rpm

Water Use: 90 gpm (5.7 lps) (No Cooling System)

Shipping Weight: 4,740 lb (2,150 kg)

Inertia Value: 52 ft² · lb (2.196 m² · kg)

Rotation: Dynamometer can be operated in both directions of rotation

Everything you need to succeed



3602 West Wheelhouse Road, Milwaukee, Wisconsin 53208 U.S.A.
(414) 755-0040 www.taylordyno.com

SMS2032v005