




## DL700 / Engine Dynamometer



### DL700 Water Brake Dynamometer

#### Specifications

Power: 700 hp (522 kW)

Torque: 9,650 ft-lb (13,083 Nm)

Speed: 1,800 rpm

Water Use: 40 gpm (2.5 lps) (No Cooling System)

Inertia Value with Companion Flange: 84.5 ft<sup>2</sup> · lb

Shipping Weight: 1,543 lb (700 kg)

DL shown with optional air starter, sub base, flywheel, flywheel cover and companion flanges.

#### Recommended Accessories

- Driveshaft - 1910
- Cooling Column - 1,250 hp (932 kW)
- Engine Cart - 6,000 lb (2,724 kg)
- Adapter Plate Kit - 1910
- Air Starter
- Shaft Guard
- Charge Air Cooler
- Base Kit
- Water Recirculating System

**Total Test Success**

# Optional Accessories



DL shown with scissor lift base option.

Optional  
Closed Loop  
Cooling Center







Optional  
Engine Cart



Optional  
Charge  
Air Cooler







## Specifications

Power: 700 hp (522 kW)

Torque: 9,650 ft-lb (13,083 Nm)

Speed: 1,800 rpm

Water Use: 40 gpm (2.5 lps) (No Cooling System)

Inertia Value with Companion Flange: 84.5 ft<sup>2</sup> · lb

Shipping Weight: 1,543 lb (700 kg)

*Everything you need to succeed*



3602 West Wheelhouse Road, Milwaukee, Wisconsin 53208 U.S.A.  
 (414) 755-0040 [www.taylordyno.com](http://www.taylordyno.com)

SMS2036v004