




## TD-3102 / Engine Dynamometer



### TD-3102 Portable Engine Dynamometer

#### Specifications

Power: 1,250 hp (932 kW)

Torque: 3,600 ft-lb (4,881 Nm)

Speed: 6,000 rpm

Water Use: 100 gpm @ 60 psi (6.3 lps @ 420 kpa) (No cooling system)

Minimum Controllable Power: 11 hp (5 kW)

Minimum Controllable Torque: 32 ft-lb (24 Nm)

Inertia Value: 570 lb/in<sup>2</sup>


Weight: 360 lb (163 kg)

#### Recommended Accessories


- Cooling Column – 1,250 hp (932 kW)
- Adapter Plate Kit
- Charge Air Cooler
- Water Recirculating
- Throttle Control


***Everything you need to succeed***

## TD-3102 (English)



## TD-3102 (Metric)






Note: Dimensions are approximate, not actual.

## Specifications

Power: 1,250 hp (932 kW)  
 Torque: 3,600 ft-lb (4,881 Nm)  
 Speed: 6,000 rpm  
 Water Use: 100 gpm @ 60 psi (6.3 lps @ 420 kpa)  
 (No cooling system)  
 Minimum Controllable Power: 11 hp (5 kW)  
 Minimum Controllable Torque: 32 ft-lb (24 Nm)  
 Inertia Value: 570 lb/in<sup>2</sup>  
 Weight: 360 lb (163 kg)



*Everything you need to succeed*

