




DE350 / Engine Dynamometer



DE350 Eddy Current Dynamometer

Specifications

Power: 469 hp (350 kW)

Torque: 1,180 ft-lb (1,600 Nm)

Speed: 8,000 rpm

Water Use: 66 gpm (4.16 lps) (No Cooling System)

Shipping Weight: 3,307 lb (1,500 kg)

Inertia Value: 21 ft² · lb (0.873 m² · kg)


Rotation: Dynamometer can be operated in both directions of rotation

Recommended Accessories

- Driveshaft
- Driveshaft Guard
- Adapter Plate Kit
- Base Kit
- Engine Cart
- Cooling Column
- Charge Air Cooler
- Water Recirculating System

Total Test Success

Optional Accessories



DE250 shown with optional sub-base and air starter

Optional Cooling Column



Optional Engine Cart (Engine not Included)



Optional Driveshaft Cover




Optional Charge Air Cooler






DE350 (English)



DE350 (Metric)





Specifications

Power: 469 hp (350 kW)

Torque: 1,180 ft-lb (1,600 Nm)

Speed: 8,000 rpm

Water Use: 66 gpm (4.16 lps) (No Cooling System)

Shipping Weight: 3,307 lb (1,500 kg)

Inertia Value: 11 ft² · lb (0.873 m² · kg)

Rotation: Dynamometer can be operated in both directions of rotation

Everything you need to succeed



3602 West Wheelhouse Road, Milwaukee, Wisconsin 53208 U.S.A.
(414) 755-0040 www.taylordyno.com

SMS2057v003